

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,702,722 B2
APPLICATION NO. : 10/529160
DATED : April 20, 2010
INVENTOR(S) : Kanayama et al.

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

The title page showing the illustrative figure should be deleted to be replaced with the attached title page.


On Page 2, item (56), under "OTHER PUBLICATIONS", in Column 2, Line 4, delete "providers." and insert -- providers. --.

On Page 2, item (56), under "OTHER PUBLICATIONS", in Column 2, Line 6, delete "Internati Onal" and insert -- International --.

The drawing sheet, consisting of Fig. 2, should be deleted to be replaced with the drawing sheet, consisting of Fig. 2, as shown on the attached page.

Signed and Sealed this

Twenty-seventh Day of July, 2010

A handwritten signature in black ink that reads "David J. Kappos". The signature is written in a cursive, flowing style with a large, stylized 'D' and 'K'.

David J. Kappos
Director of the United States Patent and Trademark Office

(12) **United States Patent**
Kanayama et al.

(10) **Patent No.:** **US 7,702,722 B2**
(45) **Date of Patent:** **Apr. 20, 2010**

(54) **COMBINATION EQUIPMENT SELECTION
SYSTEM USING NETWORK**

(75) Inventors: **Masatoshi Kanayama**, Nagano (JP);
Akira Katou, Tokyo (JP); **Noboru
Ishizeki**, Nagano (JP)

(73) Assignee: **Sanyo Denki Co., Ltd.**, Tokyo (JP)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 228 days.

(21) Appl. No.: **10/529,160**

(22) PCT Filed: **Sep. 24, 2002**

(86) PCT No.: **PCT/JP02/09761**

§ 371 (c)(1),
(2), (4) Date: **Apr. 28, 2005**

(87) PCT Pub. No.: **WO2004/029845**

PCT Pub. Date: **Apr. 8, 2004**

(65) **Prior Publication Data**

US 2006/0075016 A1 Apr. 6, 2006

(51) Int. Cl.
G06F 15/16 (2006.01)

(52) U.S. Cl. **709/203**

(58) Field of Classification Search **709/203,**
709/218, 219; 715/700; 705/26, 27
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,825,651 A * 10/1998 Gupta et al. **700/103**

6,032,150 A 2/2000 Nguyen
7,111,019 B1 * 9/2006 Nishizawa et al. **707/201**
2001/0051893 A1 12/2001 Hannai et al. **705/26**

(Continued)

FOREIGN PATENT DOCUMENTS

EP 1 071 017 1/2001

(Continued)

OTHER PUBLICATIONS

"The "Healthy Client" ; new client/server computing technology
revolutionizing the management of information-driven systems",
Savino S. P. et al., Engineering and Technology Management, Oct.
11, 1998, pp. 100-105, (English text).

(Continued)

Primary Examiner—Saleh Najjar

Assistant Examiner—Jason Recek

(74) Attorney, Agent, or Firm—Rankin, Hill & Clark LLP

(57) **ABSTRACT**

A user terminal device stores user information in a memory,
and stores constant data in another memory. The user terminal
device selects one or more other equipment to be combined
suitably for use with the service equipment, based on the
model information and operational conditions of the service
equipment as well as the stored constant data. Then, the user
terminal device transmits the user information and the selection
information to the host computer, and requests display
permission from the host computer for displaying the selection
information onto the display section. The selection information
is displayed on the display section only when the display
permission is obtained from the host computer. Thus,
workload on the host computer end may be reduced. In addition,
the host computer does not fail to obtain the user information.

3 Claims, 11 Drawing Sheets




Fig.2

